

# Concrete Construction®

## Subject Index: 1987

Information published in *Concrete Construction* magazine classified by subject matter

This index lists subjects that have been covered in articles, problem clinic answers, letters to the editor, or news items that appeared in *Concrete Construction* from January 1987 through December 1987. The listing gives the subject and its location in the following way:

Fog spray  
curing cost with, 87.634  
subject year page

Pages are numbered consecutively throughout each year. If you want to identify the month in which an article appeared, use the page numbering table below.

January	1-188	July	585-676
February	189-256	August	677-760
March	257-340	September	761-848
April	341-424	October	849-940
May	425-500	November	941-1022
June	501-584	December	1023-1192

Generally, the page number given is the first page of an article in which the subject appears.

For information published in 1988, see the article index in the December 1988 issue.

### Availability of articles

All items referenced in the index are available in the form of photocopies. These may be ordered from

The Aberdeen Group on a prepaid basis at a cost of \$1.00 per item ordered. When the subject appears in an article, a photocopy of the entire article will be supplied for the \$1.00 fee.

When ordering photocopies of indexed items, list them exactly as they appear in the index. For example, if you wish to purchase all three items shown under "water-cement ratio," list them as follows and enclose a check for \$3.00:

Water-cement ratio  
effect on durability, 87.106, 87.732  
effect on permeability, 87.857

### Bound volumes

Back issues of *Concrete Construction* magazine are available in hard-cover bound volumes (except 1970, 1972, 1973, 1975, and 1978) at \$19 per volume.

### How to order

All orders for photocopies or bound volumes must be prepaid (check or money order) and directed to:

Book and Reprint Division  
The Aberdeen Group  
426 South Westgate  
Addison, Illinois 60101

## A

### Accelerators. See also Admixtures;

Calcium chloride  
antifreezing action, 87.309  
potassium aluminate for shotcrete,  
87.965

Acid soil, effect on concrete structures,  
87.385

Acrylic latex. See Latex modified  
concrete

Acrylic sealers, protect against graffiti,  
87.224

### Admixtures

accelerators, antifreezing action, 87.309  
effect on permeability, 87.857  
foam for cellular concrete, 87.1045  
latex for deck overlays, 87.1027  
potassium aluminate for shotcrete,  
87.965  
superplasticizers, microsilica concrete,  
87.261

Aggregates, lunar soil tested, 87.074

Agricultural uses, dairy complex at  
Wisconsin Heritage Farm, 87.392

### Air content tests

dense concrete, 87.084  
how often to make, 87.312

Air entrainment, prevents scaling, 87.312,  
87.972

Air meter. See Air content tests

Airport pavement, runway extension at  
O'Hare, 87.066

Anchorage to concrete. See Anchors

### Anchors

chemically bonded, 87.958  
expansion, 87.958  
failures diagnosed, 87.958  
installation methods, 87.958

types compared, 87.958  
undercut, installation, 87.958  
wedge, installation, 87.958

Antifreeze. See Admixtures; Accelerators;  
Freezing

Arbitration, applied to construction  
disputes, 87.642

Arch construction, forming roof for  
missile assembly building, 87.611

### Architects and artists

Collins, Doreen, sculptor, 87.548  
Gendusa, Sam, sculpts giant hands,  
87.635  
Goldberg, Bertrand, 87.505, 87.512  
Hand, Harland J., builds concrete  
garden, 87.279  
Kammerichs, Klaus, sculptor, 87.220  
Olson, Lynn, sculpts at World of  
Concrete, 87.808  
Vincent, Carole, sculptor, 87.548

(more)

**Architectural concrete.** See also Notable structures; individual structures by name  
 precast onsite, 87.357  
 preconstruction mockup, 87.431  
 River City design, 87.505  
 textured finishes from form liners, 87.431

**Architectural design,** Goldberg philosophy, River City, 87.505

**Associations.** See also specific organization by name  
 international list, 87.1158  
 sand and gravel group renamed, 87.812  
 tilt-up concrete, 87.737, 87.831

**Austrian tunneling method,** uses wet-mix shotcrete, 87.965

## B

**Backshoring,** defined and compared to reshoring, 87.455

**Barrier walls**  
 cast in place, types available, 87.477  
 construction methods, 87.477  
 market opportunities, 87.477  
 noise control effectiveness, 87.477  
 precast, types available, 87.477

**Basements,** shear keys at wall base, 87.620

**Bathroom,** furniture and finish in concrete, 87.324

**Beams,** repair methods, 87.949

**Beethon,** sculpture by Kammerichs, 87.220

**Bidding**  
 pavement contractors' practices, 87.601  
 value engineering changes, 87.078

**Blue stains,** caused by slag or cement, 87.870

**Blowholes.** See Bugholes

**Board marked concrete,** forming methods, 87.431

**Bonding agents.** See specific types

**Breakers,** demolition work, 87.024

**Brick arches,** replaced with concrete, St. Anastasia Church, 87.203

**Bridges,** shotcreted over inflated form, 87.015

**Buckets**  
 dimensions and capacities, 87.687  
 plans for placement with, 87.687

**Bugholes,** how to reduce, 87.544

**Business organization**  
 arbitration to settle disputes, 87.642  
 computers for payroll, accounting, 87.394  
 contract document details, 87.794  
 documentation must be kept, 87.794  
 good records are important, 87.112  
 planning for expansion, 87.116  
 value engineering procedures, 87.078

**Buyers' guide,** product and source listings, 87.1059

## C

**Cathodic protection**  
 bottom steel in joists, 87.193  
 installation method, 87.193

**Cellular concrete**  
 floor underlayment, self leveling, 87.555  
 foam generation for, 87.1045

**Cement.** See also specific types  
 history of development, 87.650  
 natural used in Erie Canal, 87.650

**Cement consumption**  
 newsletter initiated to report, 87.1151  
 statistics for 1986, 87.327

**Chemical attack.** See Durability; specific topics

**Chemical hazards in workplace,** 87.153

**Coatings,** graffiti resistant, types compared, 87.224

**Cold weather concreting,** antifreezing accelerators for, 87.309

**Collins, Doreen,** sculpture in concrete, 87.548

**Color**  
 darkened by silica fume, 87.728  
 variability, causes, 87.790

**Colored concrete**  
 batching and mixing precautions, 87.445  
 finishing and curing, 87.445  
 mix design, 87.445

**Columns,** high-strength precast, silica-fume concrete, 87.546

**Compressive strength**  
 development with low-temperature admixtures, 87.309  
 maturity method for estimating, 87.867  
 statistical evaluation by computer, 87.374  
 test procedures above 9000 psi, 87.534

**Computers**  
 micro for contractors, 87.450  
 payroll and accounting applications, 87.394  
 software  
 analyzes compression test data, 87.374  
 choices for contractors, 87.450  
 evaluates mix submittals, 87.374  
 needs of contractor, 87.638

**Concrete Construction magazine,** subject index 1977-1986, 87.875

**Construction joints,** definition, 87.211

**Construction terminology,** dictionaries and glossaries, 87.746

**Contract relationships**  
 recordkeeping vital to claims, 87.794  
 value engineering provisions, 87.078

**Contraction joints.** See Control joints

**Control joints,** definition, 87.211

**Conveyors (belt)**  
 combining into systems, 87.707  
 lightweight for easy site access, 87.969  
 mounted on mixer trucks, 87.733  
 types described, 87.707  
 where and how to use, 87.707

**Cooling,** mass concrete, 87.767

**Core holes,** patching methods, 87.632

**Corrosion (reinforcement)**  
 cathodic protection, bottom steel, 87.193  
 measured by nondestructive method, 87.125

**Cost comparisons**  
 engineering vs. construction cost, 87.538  
 pavement, various designs, 87.601

**Cost control**  
 repeating design modules saves form cost, 87.853  
 value engineering approach, 87.078

**Crack repair**  
 beams, materials and methods, 87.949  
 epoxy injection method, 87.045  
 methods reviewed, 87.092  
 sealing in post-tensioned slab, 87.088  
 walls, materials and methods, 87.949

**Cracking**  
 dowel redesign to prevent, 87.1051  
 D-type, causes and consequences, 87.974  
 prevention in flatwork, 87.211  
 thermal in mass concrete, how to control, 87.767

**Crane**  
 boom length needed, 87.687  
 layout, how to plan, 87.687  
 lifting capacity requirements, 87.687  
 safety in operating, 87.687

**Crushed concrete,** fines upgrade clay soil, 87.411

**Culverts,** shotcreted over inflated form, 87.015

**Curing**  
 affects permeability, 87.857  
 effect on resistance to scaling, 87.553  
 fog spray cost, 87.634, 87.870  
 latex modified concrete, 87.1027  
 liquid membrane compounds, when to apply, 87.744  
 microsilica concrete, 87.261

**Curling,** slab over vapor barrier, 87.385, 87.652

**Cutting concrete.** See also Sawing  
 demolition methods, 87.024  
 how to use diamond blade saws, 87.626  
 ring blade saw for deeper cut, 87.365

**Cylinders.** See Test cylinders

## D

**D-cracking,** defined and explained, 87.974

**Deicers,** recommendations for safe use, 87.972

**Demolition**  
 methods compared, evaluated, 87.024  
 prestressed concrete, methods, 87.024  
 safety considerations, 87.024

**Design.** See Architectural design; Structural design

**Detailing,** reinforcing steel, template checks interference, 87.529

**Deterioration.** See Durability

continued on page 960

**Diamond blades**, how to cut concrete, 87.525

**Diaper**, oil-catching pan protects concrete, 87.544

**Directories**. See Associations

**Discoloration**. See also Stains  
blue stain caused by slag, 87.870

**Dome construction**, geodesic of precast panels, 87.1049

**Double tee retaining wall**, construction method, 87.304

**Dowels**, square, proposed to prevent cracking, 87.1051

**Drainage**, methods to prevent soil expansion, 87.1037

**Ductility**, reinforcing steel designed for, 87.529

**Durability**. See also specific aspects  
cement content influences, 87.106  
effect of acid soil, 87.385  
effect of excess mix water, 87.732  
permeability influence on, 87.106  
piles in salt water, 87.736  
prevention of scaling, 87.972  
water-cement ratio influence on, 87.106

## Epoxy injectors for cracked concrete!



*Low Pressure, Multiple Epoxy Injection System provides a better seal for concrete cracks and floatings.*

Micro Capsule epoxy injectors offer many advantages over other systems, including low labor cost, injectable to 0.0007 in. and provide superior injection results.

### Why Capable?

- Low pressure—capillary action
- Low viscosity epoxy
- Short training involved

### Features:

- One-step installation
- Usable on wet surface
- Moisture curable
- Confirmable by sight
- Injection amount is pre-measurable

*Call and tell us about your problems with cracks and floatings.*

# MCE

## MICRO CAPSULE ENGINEERING

320 SW Stark St., Suite 217, Portland, OR 97204 • (503) 294-6472

circle 169 on reader service card

## E

**Earthquake resistance**, design of reinforcement for, 87.529

**Economics**. See Cost comparisons

**Elastomeric form liners**, how to use, 87.431

**Electrical current**, flow measurement, cathodic protection system, 87.193

**Enclosures**, panel system for winter work, 87.549

**Engineering costs**, how to optimize, 87.538

**Entrained air**. See Air entrainment

**Epoxies**, selection for crack repair, 87.045

**Epoxy coated rebars**  
inspection and acceptance procedures, 87.197  
repair of damage, 87.197

**Epoxy coatings**, protect against graffiti, 87.224

**Epoxy injection**  
crack repair, 87.045  
structural repairs, 87.949

**Estimating**, tilt-up panel costs, 87.831

**Expansive soils**, repair of foundation damage due to, 87.1037

**Explosives**, demolition procedures, 87.024

**Exposed aggregate**  
sidewalk scaling and popouts, 87.084  
tilt-up panels, 87.841

## F

### Failures

anchor systems in concrete, how they happen, 87.958  
investigation by forensic engineer, 87.228

**Falsework**. See Shoring

**Farm builder**. See Agricultural uses

**Fast track paving**  
bonded overlay demo, 87.004  
case history, Iowa, 87.618

**Fastening to concrete**. See Anchors

**Fences**, privacy, precast systems, 87.477

**Fiber-reinforced concrete**  
applications in Australia, 87.517  
durability, 87.517  
products with polypropylene, 87.300

**Fiber reinforcement**  
steel

applications in Australia, 87.517  
shotcrete, 87.775  
measuring content in mix, 87.1054

**Finish**. See Surface finish

**Finishing**. See also Floor finishing  
flatwork, microsilica concrete, 87.261

**Finishing tools**, highway straightedge, 87.092

**Fire damage to concrete**, evaluation and repair, 87.131

**Fire protection**, sprinklers vs. fire-resistant construction, 87.1158



**Fire resistance**, codes permit calculation, 87.408

**Flatwork**

colored, construction practices, 87.445  
drainage essential to durability, 87.211  
joint design and construction, 87.211  
joint layout to control cracking, 87.211  
joints located at boxout corners, 87.084

**Floor construction**

methods for superflatness, 87.723  
power screed, laser control, 87.351

**Floor finishing**. See also Finishing  
dry shake, superflat, 87.723

**Floor flatness**

better with laser-controlled screed, 87.351  
influenced by placing and finishing, 87.723  
specifying and measuring, 87.861  
tolerances for different uses, 87.861

**Floor slabs**. See also Slab on grade  
post-tensioning benefits, 87.053  
resurfacing, self-leveling materials, 87.269

**Floor underlayment**

self leveling  
cellular concrete, 87.555  
installation practices, 87.269  
types compared, 87.269

**Floors**, superflat, measurement requirements, 87.861

**Flowing concrete**. See Superplasticizers

**Fly ash**, effect on air content, 87.632

**Foam generation**, cellular concrete, 87.1045

**Fog spray**

curing cost with, 87.634, 87.870  
method and equipment, 87.870

**Footings**, residential, keyway needed?, 87.520

**Forensic engineers**, purpose and procedures, 87.228

**Form liners**

construction tips for using, 87.431  
patterned for tilt-up, 87.841  
plastic, types compared, 87.431  
textures achieved with, 87.431  
wood, surfaces achieved with, 87.431

**Form materials**, plywood, bending to curve, 87.069

**Form ties**, safety factor, 87.788


**Forms**. See Formwork

**Formwork**. See also Slipforming

arch roof, missile assembly building, 87.611  
beam, labor productivity, 87.853  
colored concrete, precautions needed, 87.445  
column repair, St. Anastasia Church, 87.203  
curved, bending radius for plywood, 87.069  
economy through repeating design modules, 87.853  
edge details for precast panels, 87.357  
fabric, inflated cylinder, 87.015

(more)

**FOOTING JOINT  
VERTICAL  
WALL JOINT**



## Cut waterstop installation time in half with Volclay® Waterstop-Rx.

Now you can install waterstops in half the time of conventional types ...and be sure of a superior seal.

All it takes is Volclay® Waterstop-Rx from American Colloid. In just minutes, you can form a permanent seal in poured-in-place or precast concrete joints.

Simply adhere Waterstop-Rx to one side of the joint, then complete the joint. That's it—no time-consuming split-forming, cutting, or bonding. When water contacts it, Waterstop-Rx swells to form a self-healing compression seal that even fills small voids and cracks in the concrete. And, you can install it at all temperatures, which helps save time too.

Cut your waterstop installation time with Waterstop-Rx. Contact your American Colloid representative for more information, or contact us direct.



**American Colloid Company**  
Building Materials Division  
1500 Shure Drive  
Arlington Heights, IL 60004  
1-312-392-4600  
TELEX ITT 4330321  
FAX 312-506-6199

circle 115 on reader service card



**Formwork . . . continued**

inflated cylinder for culverts, **87.015**  
keyway in footing, **87.620**  
polystyrene mold for sculpture, **87.220**  
reshoring and backshoring explained, **87.455**  
risers for stadium, **87.730**  
scheduling for reuse, missile assembly building, **87.611**  
shoring loads during post-tensioning, **87.945**  
tilt-up panel edges, **87.837**  
wales adjust for various curvatures, **87.441**

wall, curved, **87.441**  
walls with warped surfaces, missile assembly building, **87.611**

**Foundations**

expansive soil problems, **87.1037**  
grouting stabilizes crane support, **87.098**  
pumping 6000-yard mat, planning and scheduling, **87.683**

**Freeze-thaw damage**, prevention methods, **87.972**

**Freezing**, prevented to  $-20^{\circ}\text{F}$  by admixtures, **87.309**

**Freezing damage**, strength needed to prevent at early age, **87.088**

**Frost**, penetration depth zones, USA, **87.369**

**Frost heave**

action explained, **87.369**, **87.652**  
how to prevent, **87.369**

**Furniture**, benches for Hand's concrete garden, **87.279**

**Fusion bonded rebars**. See Epoxy coated rebars

**G**

**Garden**

concrete simulates rock formations, **87.035**

plants to harmonize with concrete, **87.035**

rocks built of concrete, **87.279**

**Gendusa, Sam**, sculpts giant hands, **87.636**

**Geodesic dome**, first of concrete in 1963, **87.1049**

**GFRP**. See Glass-fiber-reinforced plastic

**Glass-fiber-reinforced plastic**, reinforcing bars, **87.783**

**Goldberg, Bertrand**

design achievements, four structures pictured, **87.512**

River City design philosophy, **87.505**

**Golf course**, miniature precast, **87.551**

**Graffiti**, coating to resist, **87.224**, **87.413**

**Grouting**, stabilizes foundation for crane, **87.098**

**Gypsum based floor underlayment**, self-leveling, **87.269**

**H**

**Hammers**, safety in use of, **87.993**

**Hand, Harland J.**, builds concrete garden, **87.279**

**Handling concrete**. See specific methods

**Health**, hot weather precautions for workers, **87.452**

**High-rise construction**

mile-high building design, **87.061**

placing tower with double swivel placer, **87.711**

**High-rise office building**, slipform construction, Atlanta, **87.345**

**High-strength concrete**

silica-fume admixture, precast columns, **87.546**

testing procedures, **87.534**

**Highways**. See Pavements; Paving

**Hilliard, Raymond, Center, Goldberg** comment, **87.512**

**History**

cement production, **87.650**

geodesic dome of precast panels, 1963, **87.1049**

lime burning c. 6500 BC, **87.650**

Roman concrete, **87.650**

Roman concrete evaluated, **87.792**

# tie a yellow rebar wire

Get speed, efficiency and assurance when tying epoxy coated rebar. With new, yellow coated PVC wire from American Wire Tie.

**SPEED:** yellow PVC wire's textured surface cuts down tying time. The high-visibility yellow makes for quicker approval by inspectors, briefer inspections.

**EFFICIENCY:** AWT's PVC texture gives the worker a surer grip, producing firmer ties. The color makes it easier for him to check his work.

**ASSURANCE:** PVC yellow is bonded to become fused with the wire itself. The texture produces a secure tie that stays tight.

**AMERICAN WIRE TIE** products are sold only through distributors. For the name of the dealer nearest you, call:

## 800-448-1222

In New York State: **716-337-2412**

### American Wire Tie, Inc.

North Collins, New York Meridian, Mississippi

circle 117 on reader service card

**Home building.** See Residential construction

**Hot weather,** precaution for workers health, 87.452

**Hot weather concreting,** liquid nitrogen for cooling, 87.714

**Houses.** See Residential construction

**Hughes Aircraft,** precast panels for building expansion, 87.357

## I

**IBM Tower, Atlanta,** slipform construction, 87.345

**Indexed data sources.** See *Concrete Construction* magazine

**Industry organizations.** See Associations

### Inflated forms

cylindrical with metal tie-downs, 87.015  
shotcreted for culverts and bridges, 87.015

### Inspection

epoxy coated rebars, 87.197  
failure site, by forensic engineer, 87.228

**Interlocking forms,** giant hands sculpted by Gendusa, 87.636

**Isolation joints.** See Joints, isolation

## J

**Jacking procedures,** slipform construction, 87.345

### Joint sealants

installation in flatwork, 87.211  
pavement  
are they needed?, 87.289  
service life rated, 87.289  
types compared, 87.289

### Joints

flatwork  
types defined, 87.211  
design and installation, 87.211  
located to prevent cracking, 87.211  
isolation, definition, 87.211  
location at boxout corners, 87.084  
pavement  
airport runway, 87.066  
cost-effective sealants, 87.289  
spacing vs. performance, 87.289

## K

**Kammerichs, Klaus,** sculpts Beethoven in concrete, 87.220


**Keyways,** basement wall footing, pros and cons, 87.620, 87.820

## L

### Landscaping

concrete garden design, 87.035  
concrete rock garden construction, 87.279  
concrete used for, 87.448  
pool construction for concrete garden, 87.279  
retaining walls for, 87.697  
screening and barrier walls for, 87.477

(more)



## MORGEN Mobile Placers can cut your costs \$2 to \$20 a yard.

Over two-thirds of all concrete placing jobs fall within the placing range of the MORGEN Mobile Placer — three stories up, three stories down or horizontally within 60 feet of the charging point.

With the MORGEN Mobile Placer, you can place concrete faster and at less cost than with a crane or pump. Depending upon total yardage and type of pour, you can save from \$2 to \$20 a yard.

In addition, maintenance costs are minimal, fuel and oil costs are less, labor is less, and clean-up time is shorter. A Mobile Placer will handle any mix so you can often save money on the cost of concrete.

And the price is MUCH less than that of a crane or boom pump. Prices start under \$26,000. No wonder contractors often save enough money to pay for a MORGEN Mobile Placer in a year or less!



**Dependable, low cost concrete placing conveyors and pumps world wide for over 30 years!**

Write for a complete information today —  
**MORGEN MANUFACTURING CO.** Box 160 Yankton, SD 57078

Toll Free 1-800-952-4726 Telephone 605-665-9654

910-668-3801

605-665-7017

circle 172 on reader service card

Outstanding efficiency at ground level: the FR 250 TWIN surface preparation machine.



## The large-scale surface preparation machine.

Performance is matched by a broad range of applications:

- removing crust deposits, old paint, laitance, rust, plastic coatings and markings
- cleaning oil and dirt-caked surfaces
- roughening before a new surface is applied
- grooving concrete and asphalt surfaces
- removing rubber surfaces, e.g. on runways

The FR 250 TWIN is based on the dual drum principle. Two drums, running in opposite directions, double up on the work. Since the drums can be fitted with different cutters two jobs can be done in a single turn. The cutters are chosen according to the type of work or surface.

The heavy-duty design and thorough testing of the FR 250 TWIN ensure that it will never let you down, even in the toughest jobs.

Dimensions	63" x 21" x 40"
Working width	10"
Weight with drums	455 lbs
Roughening and cleaning of concrete	up to 550 sq/ft an hour

For the name of your **VON ARX** Distributor  
**CALL TOLL FREE 1-800-982-0030**

circle 129 on reader service card

## TDT BITS built to outperform all others.

Diamond Bits are used -- Hot Pressed, TDT's with welded diamond core bits.

Advanced Power/Control Control bits provide fast cutting and long life for TDT bits.

Control Power is the precise, advanced design of diamonds for an extended application allowing maximum cutting efficiency.

Control Control retains the original cutting control by replacing worn, ineffective diamonds with new, sharp diamonds extending the life of your bit.

TDT offers 5 lines of diamond bits ranging in size from 1/2" to 36".

**TETAS DIAMOND  
TOOLS, INC.**

Customer service welcome.

For more information  
**1-800-348-0646**



circle 190 on reader service card

### Lasers

control floor screeding machine, **87.351**  
control slipform plumbness and level, **87.345**

### Latex modified concrete

curing, **87.1027**  
deck overlay installation, **87.1027**  
finishing practices, **87.1027**  
mixing/placing methods, **87.1027**  
surface preparation for, **87.1027**

### Lightweight aggregate concrete:

pumice, scoria in Oregon home, **87.1047**

**Lightweight concrete.** See Cellular concrete

**Lime**, history of use in mortar, **87.650**

**Linseed oil**, scaling prevention, **87.972**

**Low-density concrete.** See Cellular concrete

**Lunar construction**, concrete feasibility for, **87.074**

**Lunar soil**, tested as aggregate, **87.074**

## M

**Magnesium screed**, superflat floor construction, **87.723**

**Management.** See Business organization; Marketing

**Manufacturer listings**, buyers' guide, **87.1059**

**Marina City**, Goldberg comment, **87.512**

### Marketing

barrier and screening walls, **87.477**  
local workshops promote paving, **87.380**  
ready mix salesman's methods, **87.094**

### Masonry

brick arches replaced with concrete, **87.203**  
failure causes questioned, **87.458**

### Mass concrete

cracking due to temperature change, control of, **87.767**  
temperature control, **87.767**

**Mat foundation**, pumping planned for 6000 yards, **87.683**

**Material handling.** See Conveyors; Pumping

### Maturity method

compressive strength estimates, **87.867**  
equipment needed, **87.867**

**Methyl methacrylate.** See Acrylics

**Microsilica.** See also Silica fume product forms compared, **87.261**

### Microsilica concrete

curing practices, **87.261**  
finishing practices, **87.261**  
mixing and placing practices, **87.261**

**Mile-high skyscraper**, design in concrete, **87.061**

**Missile assembly buildings**, formwork and placing schedule, **87.611**

### Mix design

cellular concrete, **87.1045**  
colored concrete, **87.445**  
computer programs to evaluate, **87.374**



high-strength concrete, with silica fume, 87.546  
 latex modified concrete, 87.1027  
 mass concrete, to control cracking, 87.767  
 pavement overlay, fast-track, 87.004  
**Mobile batcher mixers**, use with latex modified concrete, 87.1027  
**Molds**. See Formwork

## N

**Nitrogen (liquid)**, cools concrete, 87.714  
**Noise control**  
 barrier wall effectiveness, 87.477  
 diamond blade saws, 87.626  
**Nonexplosive demolition**, 87.459  
 methods, 87.024  
**Nonmagnetic reinforcement**, glass-fiber-reinforced plastic bars, 87.783  
**Notable structures**. See also History;  
 Architectural concrete  
 geodesic dome theater, 87.1049  
 Hilliard, Raymond, Center, 87.512  
 IBM Tower in Atlanta, 87.345  
 Marina City, 87.512  
 Prentice Women's Hospital, 87.512  
 River City, 87.505  
 Saint Joseph Health Care Center, 87.512

## O

**Oil stains**  
 floor coating prevents, 87.544  
 prevention with oil-catching pans, 87.544  
**Olson, Lynn**, sculpture demonstrated at World of Concrete, 87.808  
**Overlays**  
 latex modified concrete, 87.1027  
 pavement  
 bonded, fast-track, 87.004  
 curing and jointing, 87.004

## P

**Patching**. See Repair  
**Pavements**. See also Paving blocks  
 airport runway extension at O'Hare, 87.066  
 asphalt vs. concrete, 87.004  
 bidding practices, 87.601  
 construction tips for smoothness, 87.607  
 cost comparison of various designs, 87.501  
 design options, costs of each, 87.601  
 joint details, O'Hare runway, 87.066  
 joint sealants, are they needed?, 87.289  
 restoration techniques, 87.004  
 restoration with bonded overlay, fast-track, 87.004  
 slope for drainage, 87.728  
 smoothness specified and measured, 87.607  
 tested with accelerated loading facility, 87.563  
**Pavers**. See Paving blocks  
**Paving**  
 fast-track demonstration, bonded overlay, 87.004

fast-track operation in Iowa, 87.618  
 marketing via local workshops, 87.380  
 slipform machine, smoothness achieved, 87.607

**Paving blocks**  
 colored concrete, enhance landscape, 87.448  
 guidebook available, 87.461

**Paving machines**, features needed for bonded overlay, 87.004

**Permeability**  
 affected by admixtures, 87.857  
 curing influence on, 87.857

test method uses concrete cups, 87.798  
 water-cement ratio influences, 87.857

**Petrographic analysis**, hardened concrete, data obtainable, 87.218

**Pitting**, petrographic analysis to find causes, 87.218

**Placing methods**. See also Pumping  
 conveyor made of aluminum, 87.969  
 conveyor mounted on mixer truck, 87.733  
 conveyor types and systems, 87.707  
 crane and bucket, guidelines, 87.687


(more)

# porta pour™

The lightweight solution to your heavyweight problems.

## CONSIDER THE ADVANTAGES:

- \* **Low Price**—All models sell for under \$5,000.00.
- \* **Simple to Operate**—One control varies belt speed to accommodate high or low slump concrete.
- \* **Lightweight**—Porta-Pour is constructed of high strength aluminum alloys.
- \* **Low Operation Costs**—Our patented design dramatically reduces moving parts.
- \* **High Productivity**—Up to 50 cubic yards per hour can be expected.
- \* **Easy To Transport**—All Porta-Pour models can be transported on a 12 foot pickup ladder rack.
- \* **Versatility**—With 15 models to choose from and lengths up to 30 feet the need for costly pumps, cranes and large conveyors is greatly reduced.



To make your next pour a Porta-Pour call

1-800-456-POUR

Dealer Inquiries Invited.

# CLARK

P.O. Box 309, Cloquet, MN 55720, (218) 879-9029  
**MACHINERY, INC.**

circle 125 on reader service card

**Placing methods . . . continued**

tower with double swivel placer, high-rise construction, **87.711**

**Plastic form liners.** See Form liners

**Pliers,** safety rules for use, **87.993**

**Plywood,** bending radius for formwork, **87.069**

**Polymer modified concrete.** See Latex modified concrete

**Polymers,** adhesion to concrete, **87.401**

**Polypropylene fibers**  
effectiveness as reinforcing for concrete products, **87.300**  
tested for crack control action, **87.157**

**Polystyrene,** form for sculpture, **87.220**

**Polyurethane.** See Urethane

**Pool construction,** concrete garden, **87.279**

**Popouts,** exposed aggregate sidewalks, **87.084**

**Portland Cement Association,**  
reorganization plans, **87.243**

**Portland cement floor underlayment,**  
self leveling, **87.269**

**Post-tensioned floors,** slab on grade, **87.053**

**Post-tensioned slab**  
construction loads on shoring, **87.945**  
crack sealing in, **87.086**

**Post-tensioning**

external, repairs beams, **87.949**  
loads on shoring during, **87.945**

**Potassium aluminate,** admixture for shotcrete, **87.965**

**Power screeds.** See Screeds

**Pozzolans.** See Fly ash; Silica fume; and others

**Precast concrete**

planter trough construction, **87.357**  
products reinforced with polypropylene, **87.300**  
retaining walls, **87.589, 87.697**  
utility buildings, types compared, **87.779**

**Precast panels**

edge form details, **87.357**  
geodesic dome construction, **87.1049**  
pumice concrete for Oregon home, **87.1047**  
site casting for office building, **87.357**  
steel-fiber-reinforced concrete, **87.517**

**Precast prestressed concrete**

panels simulate stone on parking structure, **87.319**  
twin tees for retaining wall, **87.304**

**Prentice Women's Hospital,** Goldberg comment, **87.512**

**Pressure bursting.** See Nonexplosive demolition

**Prestressed concrete.** See Precast prestressed concrete; Post-tensioning

**Proportioning.** See Mix design

**Pumice,** used in panels for Oregon home, **87.1047**

**Pumped concrete,** slump measurement, **87.544**

**Pumping**

foundation mat at Century City Marriott, **87.583**  
high-rise construction, tower-mounted placer, **87.711**  
planning and scheduling  
6000-yard mat, **87.683**

**R**

**Radius forms,** adjustable wales for, **87.441**

**Ready mixed concrete**

sales methods, **87.094**  
tips for using color, **87.445**

**Record setters,** building at 900 feet, Chicago, **87.126**

**Recreational uses**

miniature golf course, **87.551**  
water slide built in winter, **87.649**

**Reinforcement.** See also Fiber reinforcement; Reinforcing steel  
glass-fiber-reinforced plastic bars, **87.783**

**RULE #1:**

**If You Must Have a Quality Floor... Then you Must Use A Morrison's Screed.**



We're not just a pretty face! (In fact we're a little bit ugly.) But what we do for your floor can't be duplicated by our competition. We offer...

- ✓ 11,000 vibrations per minute (for complete consolidation of even low slump concrete)
- ✓ Infinite control of flats, valleys and crowns (consistent accuracy of 1/8" in 10, ft.)
- ✓ Quick, easy, in field repair (if needed) thanks to our bolted construction.

**If you're not using a Morrison's screed, you might as well be using a 2 X 4 !**

Call or Write Today to set up a free demonstration with a distributor near you.

**Morrison's Concrete Equipment Co.**

9827 Mt. Holly Rd., Charlotte, NC 28214

☎ Toll Free 800-438-2923 (in NC) 800-821-2484 ♦ FAX 704-394-9059

**When Quality Counts... Count On Morrison's Quality**

circle 173 on reader service card

**Reinforcing steel.** See also Detailing bars

epoxy coated, 87.197  
inspection of epoxy coating, 87.197  
cathodic protection, bottom bars, 87.193  
corrosion measurement, nondestructive, 87.125  
design for earthquake resistance, 87.529

#### Repair

brick arches, replaced with concrete, 87.203  
core holes, 87.632  
cracks, epoxy injection, 87.045  
epoxy coated rebar damage, 87.197  
foundations damaged by expansive soil, 87.1037  
materials and methods, structural strength restoration, 87.949  
preparing surfaces for, 87.949  
shotcrete, dry mix with silica fume, 87.525

**Reshoring,** practices defined, differs from backshoring, 87.455

#### Residential construction

basement walls, shear keys, 87.620  
bathroom finished, furnished in concrete, 87.324  
information directory from HUD, 87.122  
Oregon home uses pumice, scoria, 87.1047  
screening and barrier walls, 87.477

**Restoration,** brick arches, St. Anastasia Church, 87.203

#### Retaining walls

bin type, earth filled, 87.697  
cast in place, types compared, 87.589  
construction details, 87.589  
cost data, 87.697  
crib type, 87.697  
ground-anchored, construction methods, 87.589  
mechanically stabilized earth, systems described, 87.589  
precast concrete systems, 87.589, 87.697  
precast twin tee construction, 87.304  
selecting best type, 87.589  
soil-nailed, construction method, 87.589

**Ring blade saw,** reduces need for overcutting, 87.365

**Riser formwork,** coliseum at Charlotte, NC, 87.730

**River City,** design description, 87.505

**Roman cement and concrete,** 87.792

## S

#### Safety

chemical hazards in workplace, 87.153  
crane operation, 87.687  
demolition of concrete structures, 87.024

economic importance of, 87.989  
fall protection, belts and lanyards, 87.989

films available, 87.565  
hand tool use, 87.993  
nets offer passive protection, 87.989  
shoring loads during post-tensioning, 87.945

#### Safety factors

anchorage systems, 87.958  
form ties, 87.788

**Salt scaling.** See Scaling

**Saint Anastasia Church (Waukegan),** brick arches restored in concrete, 87.203

**Saint Joseph Health Care Center,** Goldberg comment, 87.512

**Sand casting,** ornamental tilt-up panels, 87.841

#### Sawing

recommended practices, diamond blades, 87.626  
ring blade permits deeper cut, 87.365

#### Scaling

causes and prevention, 87.312  
exposed aggregate sidewalks, 87.084  
prevention methods, 87.553  
prevention of freeze-thaw damage, 87.972

**Scoria,** used in floors for Oregon home, 87.1047

(more)

## CONCRETE CRISIS NO. 6

### FIVE POURS TO GO AND A FORM FACE ONLY A MOTHER COULD LOVE

This wouldn't have happened if the form release agent was **REACT S**. Because when **REACT S** is used, the plyform surfaces are sealed from damaging elements. Not only will your forms strip clean and easily, **REACT S** will maximize the useful life of the plyform—saving time and money.

And with **REACT S**, you get smooth, blemish-free, perfect architectural concrete with all forming materials—even on the hottest summer afternoon or the coldest winter morning.

All these benefits, plus more, and your satisfaction is guaranteed in writing.

Yet with everything **REACT S** offers, on an applied basis, it's the *lowest cost* release agent on the market!

What's more, it's just one product in the full line of more than 60 profit-protecting construction chemicals we offer from **CONSPEC**. Products that hang tough and give you strong value, at a friendly price.

For the distributor nearest you, call **CONSPEC** toll free at 1-800-348-7351. In Kansas call (913) 287-1700.




**CONSPEC**  
Marketing & Manufacturing Co.

636 South 66th Terrace, Kansas City, Kansas 66111

© 1988 CONSPEC Marketing & Manufacturing Co.

circle 135 on reader service card

# TAKE THE STRESS OUT OF DEMOLITION



## AND PUT IT TO WORK!

The powerful, expansive stress of **BRISTAR** cracks the toughest concrete or rock. And this cracking process is safe and soundless: no noise, vibration, flyrock, dust or gas vapors. Isn't that precisely the control you need for demolition in tight quarters and sensitive areas?

**A Diverse Universe of Users.** **BRISTAR** is used for mass concrete removal in pulp and paper mills, power plants, highways and bridges, pipelines, manufacturing and petrochemical plants and railroads.

**Easy To Use and Remove.** Simply mix **BRISTAR** with water and pour into drilled holes. Next, 6,000 tons/m<sup>2</sup> of expansive stress goes to work! Ten to twenty hours later, your complex demolition job is reduced to manageable pieces.

So take control of your demolition problem. Let **BRISTAR** handle the stress for you.

**CALL (404) 242-7160**

**BRISTAR.**  
A bright idea from  
Demolition Technologies.

DEMOLITION TECHNOLOGIES, INC.  
3036 Northeast Parkway  
Atlanta, Georgia 30360

A PRODUCT OF ONODA CEMENT CO., LTD.

circle 144 on reader service card

### CONCRETE CONSTRUCTION SUBJECT INDEX: 1987 continued

- Screeding**, laser controls power machine, 87.351
- Screeds**, power, superflat floor construction, 87.723
- Screening**. See Barrier walls
- Screwdrivers**, safety rules for use, 87.393
- Sculpture**
  - Beethoven bust in Bonn, 87.220
  - Collins, Doreen, black and white concrete, 87.548
  - concrete garden, construction methods, 87.279
  - concrete rocks for garden, 87.035
  - form liner creates bas relief, 87.431
  - giant hands by Sam Gendusa, 87.636
  - Olson, Lynn, shows technique at World of Concrete, 87.808
  - Vincent, Carole, figures cast in varied colors, 87.548
- Sealers**. See Coatings
- Seismic considerations**. See Earthquake resistance
- Seawater**, concrete resistance to, 87.736
- Security**, precast storage/utility buildings, 87.779
- Setting time**, affected by temperature, admixtures, 87.309
- Shear keys**, basement walls, pros and cons, 87.620, 87.820
- Shoring**, design for loads during post-tensioning, 87.945
- Shotcrete**
  - ACI guide issued, 87.134
  - culverts and bridges over inflated forms, 87.015
  - dry mix with silica fume, properties, 87.525
  - steel-fiber-reinforced
    - uses in Australia, 87.517
    - tunnel lining, 87.775
    - properties evaluated, 87.775
    - tunnel lining with wet mix, 87.965
- Shotcreting**, nozzle for wet mix, 87.965
- Sidewalks**, exposed aggregate surface, scaling and popouts, 87.084
- Silica fume**. See also Microsilica
  - darkens concrete, 87.728
  - use in dry-mix shotcrete, Canadian experience, 87.525
  - use in high-strength columns, 87.546
- Slab on grade**. See also Flatwork
  - curling, causes, 87.385
  - expansive soil problems, 87.1037
  - frost heave prevention, 87.369
  - post-tensioned design and construction, 87.053
  - power screeding with laser control, 87.351
- Slipform pavers**. See Slipforming, horizontal
- Slipforming**
  - construction practices, IBM Tower in Atlanta, 87.345
  - horizontal, paver achieves smoothness, 87.607
  - laser control, IBM Tower in Atlanta, 87.345
- Slump**
  - pumped concrete, when to measure, 87.544
  - variations in, causes, 87.728
- Smoothness**, pavements, how to achieve, 87.607
- Software**. See Computers
- Soil conditions**, moisture changes damage foundation, 87.1037
- Soil expansion**. See Expansive soils
- Soil nailing**, retaining wall construction, 87.588
- Sound barriers**. See Noise control
- Spalling**, causes and prevention, 87.312
- Specifications**, epoxy coated rebars, 87.197
- Stain prevention**, protective coatings for, 87.224
- Stains**, greenish blue discoloration, 87.870
- Steel fibers**. See also Fiber reinforcement
  - measuring amount in mix, 87.1054
- Straightedge**, highway tool for finishing, 87.092
- Structural design**
  - high-strength precast columns, 87.546
  - loads from crowd movement, 87.150
  - mile-high building in concrete, 87.061
  - optimizing engineering costs, 87.538
  - procedure with glass-fiber-reinforced plastic bars, 87.783
  - repeating modules saves formwork cost, 87.853
- Summer concreting**. See Hot weather
- Superflat floors**. See Floor flatness
- Superplasticizers**, needed in microsilica concrete, 87.261
- Surface finish**
  - bugholes, how to minimize, 87.544
  - textured by forms and form liners, 87.431

### T

- Tall buildings**. See High-rise construction; Record setters
- Temperature effects**, cracking in mass concrete, 87.767
- Tennis courts**, cracking causes, 87.818
- Terminology**, construction dictionaries and glossaries, 87.746
- Test cylinders**, high-strength concrete, 87.534
- Test methods**
  - corrosion measurement, nondestructive, 87.125
  - high-strength concrete, 87.534
  - maturity used to estimate strength, 87.867
  - pavements, accelerated loading facility, 87.563
  - permeability, uses concrete cups, 87.798



petrographic analysis, uses for, 87.218  
steel fiber content measurement, 87.1054

**Testing**, high-strength concrete procedures, 87.534

**Testing services**, specialized evaluation, classified list, 87.231

**Thermal cracking**, mass concrete, 87.767

**Ties**. See Form ties

#### **Tilt-up**

abrasive blasting of panels, 87.841  
architectural panel surfaces, 87.841  
bracing panels during erection, 87.837  
building easily enlarged, 87.104  
construction process outlined, 87.837  
cost estimating, 87.831  
curing and bondbreaking for panels, 87.837  
exposed aggregate finish, 87.841  
market opportunities, 87.764, 87.831  
patterned with form liners, 87.841  
promotion activities, 87.831  
rigging and erection, 87.837  
sand cast design on panels, 87.841  
three-story panels for office building, 87.357  
trompe l'oeil panels, 87.841

**Tolerances**, floor flatness, 87.861

**Tools**, hand, safe use of, 87.993

**Toppings**, steel-fiber-reinforced concrete, 87.517

**Transporting concrete**. See also Pumping; Conveyors  
belt conveyor use, 87.969

**Troubleshooting**, good record keeping supplies data, 87.112

**Tunnel construction**, shotcrete, new Austrian method, 87.965

#### **U**

##### **Underlayments**

floor  
installation practices, 87.269  
self-leveling types compared, 87.269  
self-leveling cellular concrete, 87.555

**Urethane coatings**, protect against graffiti, 87.224

**Utility buildings**, precast concrete, types compared, 87.779

#### **V**

**Value engineering**, what it is, how to use, 87.078

**Vapor barrier**, where and how to place under slab, 87.385

**Vincent, Carole**, sculpture in concrete, 87.548

#### **W**

**Wall forms**. See also Formwork  
curved, wales are adjustable, 87.441  
ganged have adjustable curved wales, 87.441  
warped surfaces at missile building, 87.611

**Walls**, crack repair, materials and methods, 87.949

**Water-cement ratio**  
effect on durability, 87.106, 87.732  
effect on permeability, 87.857

**Water slide**, concreted in winter, 87.649

**Whitetopping**, performance report, 87.644

**Wind loading**, design of mile-high building, 87.061

**Winter concreting**. See Cold weather

**Wood form liners**, types compared, 87.431

**Workability**, affected by aggregate gradation, 87.374

**Worker efficiency**, hot weather problems, 87.452

**World of Concrete®**  
1987 demonstrations, 87.389  
1987 show reviewed, 87.315  
1988 seminars, 87.996  
1988 show details, 87.1056

**Wrenches**, safety rules for use, 87.993

## CONCRETE CRISIS NO. 24

# YOUR MEN WORKED LONGER THAN THE SEALER DID


Or at least it seemed that way. But not with CONFLEX EPO. It's a viable alternative to costly urethane or epoxy sealers that take days to apply. Your men are in and out fast. No special preparation is needed, and this heavy-duty one-part, epoxy reinforced acrylic sealer can be used on interior or exterior surfaces, new or aged. CONFLEX EPO provides lasting protection on everything from hard-troweled concrete to exposed aggregate—everywhere from industrial plants to patios.

What's more, it's just one product in the full line of more than 60 profit-protecting construction chemicals we offer from CONSPEC. Products that hang tough and give you strong value, at a friendly price.

For the distributor nearest you, call CONSPEC toll free at 1-800-348-7351. In Kansas call (913) 287-1700.

**CONSPEC**  
Marketing & Manufacturing Co.

636 South 66th Terrace, Kansas City, Kansas 66111



© 1988 CONSPEC Marketing & Manufacturing Co.

circle 136 on reader service card